Contents

| Letters to the Editor | | Extragalactic astronomy | |
|---|-----|---|-----|
| M 1-16: multiple shocked outflows from an evolved object Schwarz, H.E. Absorption line variability in Markarian 231 | L1 | SIGMA observations of the Virgo cluster Lebrun, F., Ballet, J., Paul, J., Laurent, P., Jourdain, E., Bassani, L., Roques, JP., Mandrou, P., Finogenov, A., Sunyaev, R., Churazov, E., | |
| Kollatschny, W., Dietrich, M., Hagen, H. | L5 | Gilfanov, M., Khavenson, N., Kovtunenko, V., Kremnev, R., Sukhanov, K. | 22 |
| Speckle masking observations of the Seyfert galaxy NGC 1386 Mauder, W., Appenzeller, I., Hofmann, KH., Wagner, S.J., Weigelt, G., Zeidler, P. | L9 | The globular cluster system of NGC 1404 Richtler, T., Grebel, E.K., Domgörgen, H., Hilker, M., Kissler, M. | 25 |
| Why rapid rotators have polar spots Schüssler, M., Solanki, S.K. | L13 | (RN) A new analysis of the 11-year period in OJ 287: confirmation of its existence Kidger, M., Takalo, L., Sillanpää, A. | 32 |
| The huge objects revealed by the distribution of the absorption redshifts of QSOs: are they the great attractors? Yong-zhen Liu, Yin Liu | L17 | Evolutionary models for disk galaxies Firmani, C., Tutukov, A. | 37 |
| Lithium observations for two extremely active giant stars De Meideiros, J.R., Lèbre, A. | L21 | A molecular line survey of the merger NGC 3256 Casoli, F., Dupraz, C., Combes, F. | 49 |
| Speckle observations of abnormal solar granulation de Boer, C.R., Kneer, F. | L24 | The case of missing ¹³ CO in mergers Casoli, F., Dupraz, C., Combes, F. | 55 |
| Polarimetry and spectroscopy of a simple sunspot. I. On the magnetic field of a sunspot penumbra Schmidt, W., Hofmann, A., Balthasar, H., | | 2319+272: a flat spectrum quasar viewed through the cluster Abell 2584 Stickel, M., Kühr, H. | 68 |
| Tarbell, T.D., Frank, Z.A. Radio and X-ray emission from main-sequence K stars | L27 | The luminosity function of the Local Group van den Bergh, S. | 75 |
| Güdel, M. | L31 | Pattern recognition of the regular magnetic field in disks of spiral galaxies Sokoloff, D., Shukurov, A., Krause, M. | 390 |
| Cosmology | | Steady gas flow with a shock wave in a potential well | 40 |
| The Hubble constant free from local velocity effects Duenmler, R. | 1 | Kovalenko, I.G., Levy, V.V. Anomalous rotation measures of the radio galaxy 3C 194 Taylor, G.B., Inoue, M., Tabara, H. | 40 |
| The contribution of star-forming galaxies to the X-ray background Trever, M.A., Mouchet, M., Blanchard, A., Silk, J. | 11 | Anomalous rotation measures of the compact steep spectrum source 3C 318 | |
| The origin of the galaxy luminosity function and the ther- | | Taylor, G.B., Inoue, M., Tabara, H. | 42 |
| mal evolution of the intergalactic medium Blanchard, A., Valls-Gabaud, D., Mamon, G.A. | 365 | The radial distribution of supernovae in galaxies Bartunov, O.S., Makarova, I.N., Tsvetkov, D.Y. | 42 |
| (RN) New evidence for subclustering in the Coma cluster using the wavelet analysis | | A CO(1-0) and CO(2-1) survey of nearby spiral galaxies. II. Physical conditions in the nuclear gas Braine J., Combes, F. | 43 |
| Escalera, E., Slezak, E., Mazure, A. Gravitational optical scintillation and anisotropy of the | 379 | Global recent star formation in normal galaxies from a multiwavelength study. Comparison with their gas con- | |
| cosmic microwave background Long Long Feng, Jian Min Liu | 385 | Buat, V. | 44 |

| The emission-line lobes of 3C 368 Meisenheimer, K., Hippelein, H. | 455 | The pulsating DA white dwarf PG 2303+243 revisited Vauclair, G., Belmonte, J.A., Pfeiffer, B., Grauer, A.D., Jiménez, A., Chevreton, M., Dolez, N., | |
|---|-----|--|-----|
| The extended line-emission from 3C 352 Hippelein, H., Meisenheimer, K. | 472 | Vidal, I., Herpe, G. | 547 |
| NGC 1792: surprising radio properties Dahlem, M. | 483 | Stellar atmospheres | |
| Radio structure of the Seyfert galaxy Markarian 509 Singh, K.P., Westergaard, N.J. | 489 | On the instability parameters of stellar atmospheres Lobel, A., Achmad, L., de Jager, C., Nieuwenhuijzen, H. | 147 |
| Galactic structure and dynamics | | Non-LTE radiative transfer with lambda-acceleration: convergence properties using exact full and diagonal | |
| Numerical models of 3-D galactic dynamos Panesar, J.S., Nelson, A.H. | 77 | lambda-operators MacFarlane, J.J. | 153 |
| The origin of monoenergetic electrons in the arc of the galactic center. Particle acceleration by magnetic reconnection | | The chemical composition of the high velocity post-AGB star HD 56126 (F 5I) Parthasarathy, M., Garcia Lario, P., Pottasch, S.R. | 159 |
| Lesch, H., Reich, W. Polarized arcs near the galactic centre | 493 | Photospheric velocity gradients in B1 supergiants Massa, D., Shore, S.N., Wynne, D. | 169 |
| Haynes, R.F., Stewart, R.T., Gray, A.D., Reich, W., Reich, P., Mebold, U. | 500 | A recalculation of the line emissivities for the strongest UV and extreme-UV lines in the 400-2800 Å wavelength range | 107 |
| Stellar clusters and associations | | Doyle, J.G., Keenan, F.P. | 173 |
| (RN) Is the star 'BS' a member of the cluster 47 Tucanae? Thejll, P. Member counts: a new method to constrain the tidal radii | 86 | Short-term spectroscopic variability of the Be star EW Lacertae (HD 217050) Floquet, M., Hubert, A.M., Janot-Pacheco, E., Mekkas, A., Hubert, H., Leister, N.V. | 177 |
| of globular clusters Tucholke, HJ. | 513 | A library of theoretical stellar flux spectra. I. Synthetic UBVRI photometry and the metallicity scale for F- to K- type stars | |
| Formation, structure and evolution of stars | | Buser, R., Kurucz, R.L. | 557 |
| Light variations of massive stars (α Cygni variables). XIII. The B-type hypergiants R81 (LBV), HD 80077 (LBV?), HD 168607 = V 4029 Sagittarii (LBV) and HD 168625 = V 4030 Sagittarii van Genderen, A.M., van den Bosch, F.C., Dessing, F., | | Diffuse matter in space (including HII regions and planetary nebulae) Spectrophotometric survey of southern planetary nebulae. III. Automatic ionization modelling | |
| Fehmers, G.C., van Grunsven, J., van der Heiden, R., Janssens, A.M., Kalter, R., van der Meer, R.L.J., van Ojik, R., Smit, J.M., Zijderveld, M.J. | 88 | Samland, M., Köppen, J., Acker, A., Stenholm, B. The physical and chemical state of a dense core in the high- latitude cloud MCLD 123.5+24.9 | 184 |
| Stellar yields as a function of initial metallicity and mass limit for black hole formation | | Großmann, V., Heithausen, A. | 195 |
| Maeder, A. Rejection of archival photographic objects as optical coun- | 105 | Low-frequency variability and the galactic distribution of electron-density fluctuation Ghosh, T., Rao, A.P. | 203 |
| terparts of γ -ray bursters Greiner, J. | 121 | New planetary nebulae in the galactic bulge Acker, A., Cuisinier, F., Stenholm, B., Terzan, A. | 217 |
| Pair absorption of TeV γ-rays in accreting binaries Carramiñana, A. | 127 | An analysis of OH excited state absorption lines in DR 21 and K 3-50 | |
| Solar-like oscillations on α Centauri A Pottasch, E.M., Butcher, H.R., van Hoesel, F.H.J. | 138 | Jones, K.N., Doel, R.C., Field, D., Gray, M.D., Walker, R.N.F. | 220 |
| On the rate of destruction of lithium in late-type main-sequence stars Christensen-Dalsgaard, J., Gough, D.O., Thompson, M.J. | 518 | Large-scale interaction of the H II region and the quiescent gas in Orion A Rodríguez-Franco, A, Pintado-Martín, J., Gómez- González, J., Planesas, P. | 592 |
| Phase resolved linear polarization spectra of AM Herculis Schaich, M., Wolf, D., Östreicher, R., Ruder, H. | 529 | The 3.3 μm emission in M 17 Giard, M., Bernard, J.P., Dennefeld, M. | 610 |
| Non-standard neutrino interactions and the evolution of red giants | | Extended X-ray emission from planetary nebulae Kreysing, H.C., Diesch, C., Zweigle, J., Staubert, R., | |
| Raffelt, G., Weiss, A. | 536 | Grewing, M., Hasinger, G. | 623 |
| | | | |

| CO(J=4-3) map of OMC 1 Schulz, A., Krügel, E., Beckmann, U. | 629 | Global treatment of the Bordeaux meridian observations Teixeira, R., Réquième, Y., Benevides-Soares, P., Rapaport, M. | 307 |
|---|-----|--|-----|
| The β Pictoris circumstellar disk. XIII. Survey of the variable Ca II lines Lagrange-Henri, A.M., Gosset, E., Beust, H., Ferlet, R., Vidal-Madjar, A. | 637 | Observations of Galilean satellites at 2.2 µm Souchay, J., Hiromoto, N., Takami, T., Nakamura, T., Descamps, P., Aruga, T. | 314 |
| X-ray spectroscopy of the young supernova remnant RCW 86 | | | |
| Kaastra, J.S., Asaoka, I., Koyama, K., Yamauchi, S. | 654 | Physical and chemical processes | |
| The Sun | | Dynamos in resonance Schmitt, D., Rüdiger, G. | 319 |
| On the photospheric temperature in small-scale magnetic flux concentrations Fabiani Bendicho, P., Kneer, F., Trujillo Bueno, J. | 229 | Diffusion-generated electromotive force and seed magnetic field problem Lazarian, A. | 326 |
| Chromospheric fine structure revisited Grossmann-Doerth, U., Schmidt, W. | 236 | The emission mechanism of neutral particles from discrete sources in the TeV-EeV energy range | 220 |
| Equations for the motion of an isolated thin magnetic flux tube | | Bednarek, W. Charged particle dynamics within the spherical wave field | 331 |
| Cheng, J. | 243 | of a rotating magnetic dipole beyond the acceleration | |
| Variations in solar Lyman alpha irradiance on short time scales Pap, J.M. | 249 | Tolan, M. | 708 |
| Centre-to-limb variation of solar granulation along the | 247 | Instruments, data processing, and computational methods | |
| equator and the central meridian Rodríguez Hidalgo, I., Collados, M., Vázquez | 661 | Observations of radio lines from unresolved sources: tele- | |
| On the depletion of lithium in the Sun Ahrens, B., Stix, M., Thorn, M. | 673 | scope coupling, Doppler effects, and cosmological corrections | 227 |
| Return current losses in pulse beam heating of the solar at- | | Gordon, M.A., Baars, J.W.M., Cocke, W.J. Photometric accuracy. The impact of extrapolation in dif- | 337 |
| mosphere Karlický, M., Hénoux, JC. | 679 | fering color-transformation schemes Manfroid, J., Sterken, C., Gosset, E. | 345 |
| Storage of magnetic flux tubes in a convective overshoot region | (0) | Power spectra of gapped time series: a comparison of sev- eral methods | |
| Moreno-Insertis, F., Schüssler, M., Ferriz Mas, A. On the effects of chromospheric magnetic perturbations on | 686 | Carbonell, M., Oliver, R., Ballester, J.L. | 350 |
| solar oscillation frequencies Wright, A.N., Thompson, M.J. | 701 | Abstracts of articles which have been published in A. & A. Suppl. Ser. 94, No. 2, and No. 3 | |
| The solar system | | Galactic OB associations in the northern Milky Way | |
| A Boltzmann-kinetic approach to describe the entrance of neutral interstellar hydrogen into the heliosphere | | galaxy. Longitudes 55° to 150° Garmany, C.D., Stencel, R.E. | 718 |
| Osterbart, R., Fahr, H.J. Formaldehyde in comets. I. Microwave observations of P/ | 260 | The visual appearance of the nuclei of ring-shaped galaxies as an alternative classification criterion | |
| Brorsen-Metcalf (1989 X), Austin (1990 V) and Levy (1990 XX) | | Faindes-Abans, M., Hertling, G., Ramirez, A.C. The quiescent phase of CH Cygni during the period 1987— | 718 |
| Colom, P., Crovisier, J., Bockelée-Morvan, D., Despois, D., Paubert, G. | 270 | 1989 Kotnik-Karuza, D., Jurdana, R., Hack, M. | 718 |
| Formaldehyde in comets. II. Excitation of the rotational lines | | Positions of asteroids for use in mass determinations Schubart, J. | 719 |
| Bockelée-Morvan, D., Crovisier, J. Would a collision on Uranus explain its systematic resid- | 282 | UBV photometry in the vicinity of L 379 Lahulla, J.F., Hilton, J. | 719 |
| uals? | | $UBV(RI)_c$ photometric monitoring of Orion population | |
| Brunini, A. | 292 | stars in the southern hemisphere Covino, E., Terranegra, L., Franchini, M., Chavarria- | |
| Celestial mechanics and astrometry | | K, C., Stalio, R. | 719 |
| Global block adjustment simulations using the CPC 2 data structure Zacharias, N. | 296 | 1980–1985 astrometric observations of the first eight satel- lites of Saturn at Pic-du-Midi, ESO and CFH Veillet, C., Dourneau, G. | 719 |

| Multifrequency windows on spiral galaxies. II. The A262 and Cancer clusters Scodeggio, M., Boselli, A., Gravazzi, G., Trinchieri, G., Garilli, B. | 719 | Radial velocities. V. Ground based measurements for Hip- parcos (Text in French) Duflot, M., Fehrenbach, C., Mannone, C., Burnage, R., Genty, V. | 721 |
|--|-----|---|-----|
| Properties of nearby clusters of galaxies. I. A 195, A 465, A 1185, A 1213, A 1413, A 1775, A 2319 and A 2597 | | A photometric analysis of the Cepheus OB3 region Jordi, C., Trullols, E., Rosselló, G., Lahulla, F. | 722 |
| Trèvese, D., Flin, P., Migliori, L., Hickson, P., Pittella, G. | 720 | Spherical opacity sampling model atmospheres for M-gi- ants and supergiants. II. A grid | |
| Photometry of the LMC HII region N159A and of its stel- | | Plez, B. | 722 |
| ar content. I. Stellar observations and reductions Deharveng, L., Caplan, J., Lombard, J. | 720 | Pairing properties of Markarian starburst galaxies Keel, W.C., van Soest, E.T.M. | 722 |
| Carbon-star lightcurves in the 1-20 μm range Le Bertre, T. | 720 | Galactic B-supergiants. I. An atlas of O9-B9 supergiant spectra from 3950 Å to 4950 Å | |
| A catalogue of absolute fluxes and distances of planetary | | Lennon, D.J., Dufton, P.L., Fitzsimmons, A. | 722 |
| Cahn, J.H., Kaler, J.B., Stanghellini, L. | 721 | Galactic dynamos and their radio signatures Elstner, D., Meinel, R., Beck, R. | 723 |
| Evolutionary sequences for binary stars in the mass range 9 to 40 M_{\odot} | | | |
| de Loore, C., De Greve, J.P. | 721 | | |

